



## Yuasa Fiche de données techniques

Yuasa HJ-LB20L -

### Performance

Tension	12V
Capacité (20 heures)	34Ah
Performances en démarrage à froid (EN1)	272A

### Dimensions

Longueur	198mm
Largeur	130mm
Hauteur	202mm

### Poids & Mesures

Poids moyen avec acide	10.5kg
Poids sans acide	-
Volume d'acide	-

### Caractéristiques du bac

Type de boîtier	B20 JIS AGM (R33 Skyline)
Système de fixation	N
Ventilation latérale	✓
Caractéristiques semi-traction	✓
Type de couvercle	VRLA



For Illustration Purposes Only


### Technologie

Dispositif pare-flammes	✓
Technologie	Ca/Ca VRLA
Séparateur	AGM
Vibration	V1 (30Hz/3g/2hr)
Taux de charge recommandé	2A


### Type de bornes

T1

Standard DIN Post



### Schéma de montage des éléments



### Système de fixation de la batterie



Date de publication: 25/09/2017 - E&OE



## Yuasa Technical Data Sheet

### Yuasa HJ-LB20L - Auxilliary, Backup & Specialist Batteries

#### Performance

Voltage	12V
Capacity (20-hour)	34Ah
Cold Cranking Amps (EN1)	272A

#### Dimensions

Length	198mm
Width	130mm
Height	202mm

#### Weights & Measures

Mean Weight with Acid	10.5kg
Dry Weight	-
Acid Volume	-

#### Container Features

Case Type	B20 JIS AGM (R33 Skyline)
Hold Down	N
State of Charge Indicator	-
Handles	-
End Venting	✓
Semi-Traction Features	✓
Lid Type	VRLA



For Illustration Purposes Only


#### Technology

Flame Arrestor	✓
Technology	Ca/Ca VRLA
Separator	AGM
VDA Roll Over Test	-
Vibration	V1 (30Hz/3g/2hr)
Recommended Charge Rate	2A


#### Terminal Type

##### T1

Standard DIN Post



#### Cell Assembly Layout



#### Battery Hold-down



Data Sheet generated on 25/09/2017 - E&OE