



Yuasa Fiche de données techniques

Yuasa HJ-S34B20R

Performance

Tension	12V
Capacité (20 heures)	35Ah
Performances en démarrage à froid (EN1)	272A

Dimensions

Longueur	197mm
Largeur	129mm
Hauteur	227mm

Poids & Mesures

Poids moyen avec acide	10.5kg
------------------------	--------



Caractéristiques du bac


Type de bac	B20 JIS AGM
Schéma de montage	1
Système de fixation	N
Poignées	✓
Caractéristiques semi-traction	✓
Type de couvercle	VRLA

Technologie

Dispositif stop-flamme	✓
Technologie	Ca/Ca VRLA
Séparateur	AGM
Vibration	V1 (30Hz/3g/2hr)
Taux de charge recommandé	2A
Performance Marking	W5-C2-V2-E2


Type de bornes

T3
Small Japanese
JIS Terminal



Positive Terminal Negative Terminal

Schéma de montage des éléments



Système de fixation de la batterie



Date de publication: 15/04/2021 - E&OE



Yuasa Technical Data Sheet

Yuasa HJ-S34B20R

Performance

Voltage	12V
Capacity (20-hour)	35Ah
Cold Cranking Amps (EN1)	272A

Dimensions

Length	197mm
Width	129mm
Height	227mm

Weights & Measures

Mean Weight with Acid	10.5kg
-----------------------	--------



Container Features


Case Type	B20 JIS AGM
Cell Layout	1
Hold Down	N
Handles	✓
Semi-Traction Features	✓
Lid Type	VRLA

Technology


Flame Arrestor Technology	✓
Separator	Ca/Ca VRLA
Vibration	AGM
Recommended Charge Rate	V1 (30Hz/3g/2hr)
Performance Marking	2A
	W5-C2-V2-E2

Terminal Type

T3
Small Japanese
JIS Terminal



Cell Assembly Layout



Battery Hold-down



Data Sheet generated on 15/04/2021 - E&OE