



## Yuasa Fiche de données techniques

### Yuasa YBX3334 - Batteries SMF YBX3000

#### Performance

Tension	12V
Capacité (20 heures)	95Ah
Performances en démarrage à froid (EN1)	720A

#### Dimensions

Longueur	303mm
Largeur	174mm
Hauteur	222mm



#### Poids & Mesures

Poids moyen avec acide	20.8kg
------------------------	--------

#### Caractéristiques du bac

Type de bac	JIS D31 + BH
Schéma de montage	1
Système de fixation	B1
Indicateur de l'état de charge	✓
Poignées	✓
Sortie(s) d'aération	✓
Type de couvercle	Double capot (anti-écoulement et sans entretien)


#### Technologie

Dispositif stop-flamme	✓
Technologie	Ca/Ca
Séparateur	PE
Test de retournement VDA	✓
Taux de charge recommandé	4A
Performance Marking	W3-C2-V2-E1


#### Type de bornes

##### T1


Standard DIN Post



#### Schéma de montage des éléments



#### Système de fixation de la batterie



Date de publication: 15/04/2021 - E&OE



## Yuasa Technical Data Sheet

### Yuasa YBX3334 - YBX3000 SMF Batteries

#### Performance

Voltage	12V
Capacity (20-hour)	95Ah
Cold Cranking Amps (EN1)	720A

#### Dimensions

Length	303mm
Width	174mm
Height	222mm

#### Weights & Measures

Mean Weight with Acid	20.8kg
-----------------------	--------



#### Container Features

Case Type	JIS D31 + BH
Cell Layout	1
Hold Down	B1
State of Charge Indicator	✓
Handles	✓
End Venting	✓
Lid Type	SMF Double Lid


#### Technology

Flame Arrestor Technology	✓
Separator	Ca/Ca
VDA Roll Over Test	PE
Recommended Charge Rate	✓
Performance Marking	4A
	W3-C2-V2-E1

#### Terminal Type

##### T1


Standard DIN Post




Positive Terminal

Negative Terminal

#### Cell Assembly Layout



#### Battery Hold-down



Data Sheet generated on 15/04/2021 - E&OE