



Yuasa Fiche de données techniques


Yuasa YBX5335 - Batteries SMF YBX5000 Silver Haute Performance

Performance

Tension	12V
Capacité (20 heures)	100Ah
Performances en démarrage à froid (EN1)	830A

Dimensions

Longueur	303mm
Largeur	174mm
Hauteur	222mm



Poids & Mesures

Poids moyen avec acide	21.6kg
------------------------	--------

Caractéristiques du bac

Type de bac	D31 JIS
Système de fixation	B1
Indicateur de l'état de charge	✓
Poignées	✓
Sortie(s) d'aération	✓
Type de couvercle	Double capot (anti-écoulement et sans entretien)

Technologie

Dispositif stop-flamme	✓
Technologie	Ca/Ca
Séparateur	PE
Test de retournement VDA	✓
Taux de charge recommandé	5A
Performance Marking	W4-C2-V3-E1


Type de bornes

T1


Standard DIN Post



Schéma de montage des éléments



Système de fixation de la batterie



Date de publication: 16/04/2021 - E&OE



Yuasa Technical Data Sheet

Yuasa YBX5335 - YBX5000 Silver High Performance SMF Batteries

Performance

Voltage	12V
Capacity (20-hour)	100Ah
Cold Cranking Amps (EN1)	830A

Dimensions

Length	303mm
Width	174mm
Height	222mm

Weights & Measures

Mean Weight with Acid	21.6kg
-----------------------	--------



Container Features

Case Type	D31 JIS
Hold Down	B1
State of Charge Indicator	✓
Handles	✓
End Venting	✓
Lid Type	SMF Double Lid

Technology

Flame Arrestor	✓
Technology	Ca/Ca
Separator	PE
VDA Roll Over Test	✓
Recommended Charge Rate	5A
Performance Marking	W4-C2-V3-E1

Terminal Type

T1


Standard DIN Post



Positive Terminal

Negative Terminal


Cell Assembly Layout



0

Battery Hold-down

B1



Data Sheet generated on 16/04/2021 - E&OE